IC equipment: Inline Ultrafiltration 2 - pull mode

6.05330.010

Below, the accessories are grouped into Scope of delivery and Optional accessories. Please keep this printout at hand for ordering replacement material. These lists may be subject to change.

Scope of delivery 6.05330.010

Qt.	Order no.	Description	
1 STK	6.02057.030	Ultrafiltration cell 2 holder	
		ting the 6.02729.110 ultrafiltration cell 2 on the 858 ple Processor / 919 IC Autosampler plus.	
1 STK	6.02729.110	Ultrafiltration cell 2	
	Professional San	ultrafiltration of samples together with the 858 nple Processor / 919 IC Autosampler plus. As an time-consuming manual filtration with a syringe filter.	
4 STK	6.1803.040	PTFE capillary 0.5 mm i.d. / 1 m	
	Capillary for sample handling in IC.		



Capillary for filtration and dialysis



1 STK

6.1826.330

Pump tubing LFL (orange/white), 3 stoppers

For all IC instruments with peristaltic pump.



1 STK

6.1826.390 Pump tubing LFL (yellow/yellow), 3 stoppers

For the sample solution in Inline Ultrafiltration.





1 STK 6.1831.060 PEEK capillary 0.5 mm i.d., 1 m

For inline dialysis and for Sample Changers. For IC Dialysis Unit, IC Sample Processor, Compact IC Autosampler, IC Filtration Sample Processor, IC Dialysis Sample Processor, IC Liquid Handling Dialysis Unit



1 STK

6.2621.030

Hexagon key 4 mm



1 STK

6.2714.020 Filtration membrane reg. cellulose, 0.2 μm, 50 pieces

Nominal pore size: 0.2 μ m. Set of 50 pieces. For inline filtration.

1 STK 6.2744.000 Pressure screw PVDF

With UNF 10/32 connection. For IC instruments, inline dialysis (connection of PTFE capillaries)





1 STK 6.2744.030 Coupling olive/UNF 10/32, 4x

Connection between pressure screw and pump tubing. 4 pieces. For IC instruments with peristaltic pump



1 STK 6.2744.070 Pressure screw short

Short version. With UNF 10/32 connection. 5 pieces. For the connection of PEEK capillaries



1 STK 6.2831.010 Plastic tweezers

For dialysis and filtration membranes

