


LC and LC-MS



Discover the Viper capillary kits

For easy setup and exceptional LC or LC-MS workflow results

Virtually without any dead-volume, Thermo Scientific™ Viper™ and nanoViper™ fittings combine usability with high performance. Viper and nanoViper connections can be used on all standard LC modules, valves, and columns quickly, independent of different connection geometries and system backpressures. Dedicated capillary kits for standard LC system configurations and application-specific setups enable high qualitative and reproducible results for all flow rates and pressure ranges.

An overview of the content of the various workflow kits for the Thermo Scientific™ Vanquish LC product line, but also Thermo Scientific™ UltiMate™ 3000 LC product line is listed.

Depending on the application focus, the kits include Viper capillaries for easy fluidic path installation. They also come with necessary column switching valves, other fluidic components, and helpful installation guides.

1. Viper System Capillary Kits for Vanquish LC Systems ➔
2. Viper Capillary Kits for application-specific Vanquish LC Systems ➔
3. Viper System Capillary Kits for UltiMate 3000 LC Systems ➔
4. Viper Capillary Kits for UltiMate 3000 LC Solutions ➔



1. Viper System Capillary Kits for Vanquish LC Systems

Description	Quantity	Part number
Viper Capillary Kit for Vanquish Core HPLC Systems		6036.2302
Includes: Viper capillary, SST, 0.18 × 350 mm	1	6040.2375
Passive pre-heater, Viper, SST, 0.18 × 530 mm	1	6732.0170
Installation and operation guide Viper and nanoViper fingertight fitting system	1	–
Method Transfer Kit for Vanquish Core HPLC Systems		6036.2100
Includes: Viper Loop, 200 µL VGDV, SST, 0.5 × 1020 mm	1	6036.2120
Viper capillary, SST, 0.18 × 450 mm	1	6040.2365
Valve 2-p/6-p 70MPa VC-C	1	6230.1520
Technical note: Use of Method Transfer Kit for GDV adjustment (TN 73371)	1	–
Quick installation guide Vanquish Core Method Transfer Kit	1	–
Viper Capillary Kit for Vanquish Horizon and Flex UHPLC Systems		6036.2303A
Includes: Viper capillary, MP35N, 0.10 × 350 mm	1	6042.2340
Active pre-heater, MP35N, 0.10 × 380 mm	1	6732.0110
Passive pre-heater, Viper, MP35N, 1 µL, 0.10 × 530 mm	1	6732.0174
Installation and operation guide Viper and nanoViper fingertight fitting system	1	–
MS Connection Kit for Vanquish UHPLC Systems		6720.0405
Includes: Viper capillary, MP35N, 0.10 × 350 mm	1	6042.2340
Viper capillary, MP35N, 0.10 × 550 mm	1	6042.2360
Viper capillary, MP35N, 0.10 × 750 mm	1	6042.2390
Viper capillary, MP35N, 0.10 × 950 mm	1	6042.2395
Viper capillary, MP35N, 0.13 × 750 mm	1	6042.2373
nanoViper capillary, PEEK-shielded fused silica, 0.150 × 1100 mm	1	6041.5828
Union for Viper and nanoViper capillaries	1	6040.2304
Capillary holder	6	–
Digital I/O signal cable Vanquish, 5 m	1	6036.0006
Quick installation guide MS connection kit for Vanquish UHPLC systems	1	–
Installation and operation guide Viper and nanoViper fingertight fitting system	1	–



2. Viper Capillary Kits for application-specific Vanquish LC Systems

Description	Quantity	Part number
Viper Kit for Vanquish Duo UHPLC Systems		6036.2305
Includes: Viper capillary, MP35N, 0.10 × 550 mm	2	6042.2360
Viper capillary, MP35N, 0.10 × 650 mm	2	6042.2370
Active pre-heater, MP35N, 0.1 × 610 mm	2	6732.0150
Post-column cooler, MP35N, 1 µL, 0.10 × 590 mm	2	6732.0520
Color marker labels (blue and red), set of 80 pcs	1	–
Quick installation guide Vanquish Duo	1	–
Flow scheme Vanquish Duo	1	–
Viper Kit for Vanquish Tandem LC Systems		6036.2020
Includes: Viper capillary, MP35N, 0.10 × 150 mm	4	6042.2320
Viper capillary, MP35N, 0.10 × 450 mm	1	6042.2350
Viper capillary, MP35N, 0.10 × 950 mm	1	6042.2395
Active pre-heater, MP35N, 0.1 × 380 mm	1	6732.0110
Post-column cooler, MP35N, 1 µL, 0.10 × 590 mm	1	6732.0520
Valve 2-p/6-p 150 MPa bio VH-C/VC-C	2	6036.2520
Waste tubing, VH-D10	1	6083.2425
Color marker labels (blue and red), set of 80 pcs (used for capillaries, solvent lines and wash lines)	1	–
Quick installation guide Vanquish Tandem LC	1	–
Flow scheme Vanquish Tandem LC	1	–
Viper Kit for Vanquish Inverse Gradient LC Systems		6036.2010
Includes: Post-column cooler, MP35N, 1 µL, 0.10 × 590 mm	1	6732.0520
Viper capillary, MP35N, 0.10 × 65 mm	1	6042.2306
Viper capillary, MP35N, 0.10 × 950 mm	1	6042.2395
T-piece ID 0.020" (0.5 mm) for 1/16" capillary	1	6263.0035
Color marker labels (blue and red), set of 80 pcs (used for capillaries, solvent lines and wash lines)		–
Quick installation guide Vanquish Inverse Gradient		–
Flow scheme Vanquish Inverse Gradient		–
Viper Kit for Automated Method Scouting for Vanquish UHPLC Systems		6036.2807
Includes: Viper capillary, MP35N, 0.10 × 350 mm	4	6042.2340
Viper capillary, MP35N, 0.10 × 450 mm	1	6042.2350
Viper capillary, MP35N, 0.18 × 650 mm	1	6042.2380
Passive pre-heater, Viper, MP35N, 1 µL, 0.10 × 530 mm	3	6732.0174
Viper plug	2	6040.2303
PEEK™ union, pressure rating 5,000 psi/344 bar	4	2200.0061
Column holder kit, VH-C/VC-C, 6 pcs.	1	6732.1904
Capillary clip for color-coding, green	30	–
Capillary clip for color-coding, blue	30	–
Capillary clip for color-coding, red	30	–
Capillary clip for color-coding, yellow	30	–
Capillary markers	20	–
Labels for capillary marker	20	–
Automated method scouting CD	1	–
Installation and operation guide Viper and nanoViper fingertight fitting system	1	–
Quick installation guide Automated Method Scouting	1	–
Flow scheme Automated Method Scouting	1	–

2. Viper Capillary Kits for application-specific Vanquish LC Systems *(continued)*

Description	Quantity	Part number
Extension Kit for Automated Method Scouting for Vanquish UHPLC Systems		6036.0100
Includes: Solvent selection valve, 10-p /11-p	1	6804.0020
Mounting bracket for solvent selection valve	1	–
Eluent bottle, 1 L, with screw cap	10	2270.0012
Eluent filter for eluent bottles (10 pcs)	1	6000.0041
Retaining guide for solvent tubing (5 pcs)	2	6000.0042
Sealing plug for eluent bottle screw cap (20 pcs)	2	6000.0047
Tubing, FEP, 1.5 × 1000 mm	10	–
Tubing, ECTFE, 0.75 × 900mm	1	–
Cable Cover	3	–
Viper Kit for Vanquish Trap Heart-Cut and Simple Switch 2D-LC for Vanquish UHPLC systems		6036.2030
Includes: Viper capillary, MP35N, 0.10 × 150 mm	1	6042.2320
Viper capillary, MP35N, 0.10 × 250 mm	4	6042.2330
Viper capillary, MP35N, 0.10 × 350 mm	2	6042.2340
Viper capillary, MP35N, 0.10 × 450 mm	1	6042.2350
Viper capillary, MP35N, 0.10 × 550 mm	1	6042.2360
Viper capillary, MP35N, 0.18 × 450 mm	1	6042.2365
Active pre-heater, MP35N, 0.1 × 380 mm	1	6732.0110
Valve 2-p / 6-p 150 MPa bio, VH-C/VC-C	2	6036.2520
T-piece ID 0.020" (0.5 mm) for 1/16" capillary	1	6263.0035
Union for Viper and nanoViper capillaries	2	6040.2304
Viper plug	6	6040.2303
Waste tubing, VH-D10	1	6083.2425
USB cable, 5 m	1	6911.0002A
Quick installation guide Vanquish Trap Heart-Cut and Simple Switch 2D-LC Systems	1	–



3. Viper System Capillary Kits for UltiMate 3000 LC Systems

Description	Quantity	Part number
Viper Capillary Kit for ISO, LPG and DGP pumps in UltiMate 3000 RS LC Systems		6040.2301
Includes: Viper capillary, SST, 0.13 × 250 mm	1	6040.2325
Viper capillary, SST, 0.13 × 350 mm	1	6040.2335
Viper capillary, SST, 0.18 × 450 mm	1	6040.2365
Installation and operation guide Viper and nanoViper fingertight fitting system	1	–
Viper Capillary Kit for ISO, LPG and DGP pumps in UltiMate 3000 SD LC Systems		6040.2302
Includes: Viper capillary, SST, 0.18 × 250 mm	1	6040.2385
Viper capillary, SST, 0.18 × 350 mm	1	6040.2375
Viper capillary, SST, 0.18 × 450 mm	1	6040.2365
Installation and operation guide Viper and nanoViper fingertight fitting system	1	–
Viper Capillary Kit for HPG pumps in UltiMate 3000 RS LC Systems		6040.2308
Includes: Viper capillary, SST, 0.13 × 250 mm	1	6040.2325
Viper capillary, SST, 0.13 × 350 mm	1	6040.2335
Viper capillary, SST, 0.18 × 550 mm	1	6040.2355
Installation and operation guide Viper and nanoViper fingertight fitting system	1	–
Viper Capillary Ki for HPG pumps in UltiMate 3000 SD LC Systems		6040.2309
Includes: Viper capillary, SST, 0.18 × 250 mm	1	6040.2385
Viper capillary, SST, 0.18 × 350 mm	1	6040.2375
Viper capillary, SST, 0.18 × 550 mm	1	6040.2355
Installation and operation guide Viper and nanoViper fingertight fitting system	1	–
Viper capillary Kit for UltiMate 3000 BioRS LC Systems		6841.2301
Includes: Viper capillary, MP35N, 0.10 × 250 mm	1	6042.2330
Viper capillary, MP35N, 0.10 × 350 mm	1	6042.2340
Viper capillary, MP35N, 0.18 × 550 mm	1	6042.2355
Installation and operation guide Viper and nanoViper fingertight fitting system	1	–



4. Viper Capillary Kits for UltiMate 3000 LC Solutions

Description	Quantity	Part number
Viper Tandem Operation Solution Kit for UltiMate 3000 RS LC Systems		6040.2803
Includes: Viper capillary, SST, 0.13 × 150 mm	1	6040.2315
Viper capillary, SST, 0.13 × 250 mm	2	6040.2325
Viper capillary, SST, 0.13 × 350 mm	1	6040.2335
Viper capillary, SST, 0.13 × 550 mm	3	6040.2305
Viper capillary, SST, 0.18 × 450 mm	1	6040.2365
Viper capillary, SST, 0.18 × 950 mm	1	6040.2390
Passive pre-heater, SST, 2 µL, 0.130 mm ID	1	6722.0530
Union for Viper and nanoViper capillaries	2	6040.2304
Tubing, PEEK™, 1/16", 0.25 mm ID, 2 m	1	6251.6001
Fingertight Fitting, PEEK™, 1/16" (10 pcs)	1/10	6000.0012
Capillary markers	5	–
Labels for capillary marker	8	–
UHPLC ⁺ Solution CD for Tandem Operation	1	–
Quick installation guide UHPLC ⁺ Solution for Tandem Operation	1	–
Flow scheme UHPLC ⁺ Solution for Tandem Operation	1	–
Viper Tandem Operation Solution Kit for UltiMate 3000 SD LC Systems		6040.2804
Includes: Viper capillary, SST, 0.18 × 150 mm	1	6040.2360
Viper capillary, SST, 0.18 × 250 mm	2	6040.2385
Viper capillary, SST, 0.18 × 450 mm	1	6040.2365
Viper capillary, SST, 0.18 × 350 mm	1	6040.2375
Viper capillary, SST, 0.18 × 550 mm	3	6040.2355
Viper capillary, SST, 0.18 × 950 mm	1	6040.2390
Union for Viper and nanoViper capillaries	2	6040.2304
Tubing, PEEK™, 1/16", 0.25 mm ID, 2 m	1	6251.6001
Fingertight Fitting, PEEK™, 1/16" (10 pcs)	1/10	6000.0012
Capillary markers	5	–
Labels for capillary marker	8	–
UHPLC ⁺ Solution CD for Tandem Operation	1	–
Quick installation guide UHPLC ⁺ Solution for Tandem Operation	1	–
Flow scheme UHPLC ⁺ Solution for Tandem Operation	1	–
Viper Parallel Setup Solution Kit for UltiMate 3000 RS LC Systems		6040.2809
Includes: Viper capillary, SST, 0.13 × 250 mm	4	6040.2325
Viper capillary, SST, 0.13 × 350 mm	2	6040.2335
Viper capillary, SST, 0.18 × 350 mm	1	6040.2375
Viper capillary, SST, 0.18 × 550 mm	1	6040.2355
Passive pre-heater, SST, 2 µL, 0.130 mm ID	1	6722.0530
Union for Viper and nanoViper capillaries	2	6040.2304
Capillary markers	5	–
Labels for capillary marker	8	–
UHPLC ⁺ Solution CD for Parallel Setup	1	–
Quick installation guide UHPLC ⁺ Solution for Parallel Setup	1	–
Flow scheme UHPLC ⁺ Solution for Parallel Setup	1	–

4. Viper Capillary Kits for UltiMate 3000 LC Solutions *(continued)*

Description	Quantity	Part number
Viper Parallel Setup Solution Kit for UltiMate 3000 SD LC Systems		6040.2810
Includes: Viper capillary, SST, 0.18 × 250 mm	4	6040.2385
Viper capillary, SST, 0.18 × 350 mm	3	6040.2375
Viper capillary, SST, 0.18 × 550 mm	1	6040.2355
Union for Viper and nanoViper capillaries	2	6040.2304
Capillary markers	5	–
Labels for capillary marker	8	–
UHPLC ⁺ Solution CD for Parallel Setup	1	–
Quick installation guide UHPLC ⁺ Solution for Parallel Setup	1	–
Flow scheme UHPLC ⁺ Solution for Parallel Setup	1	–
Viper Application Switching Solution Kit for UltiMate 3000 RS LC Systems		6040.2805
Includes: Viper capillary, SST, 0.13 × 250 mm	2	6040.2325
Viper capillary, SST, 0.13 × 350 mm	4	6040.2335
Viper capillary, SST, 0.13 × 650 mm	2	6040.2310
Viper capillary, SST, 0.13 × 750 mm	1	6040.2320
Viper capillary, SST, 0.18 × 750 mm	1	6040.2370
Viper capillary, SST, 0.18 × 850 mm	1	6040.2380
Passive pre-heater, SST, 2 µL, 0.130 mm ID	1	6722.0530
Tubing, PEEK™, 1/16", 0.25 mm ID, 2 m	2	6251.6001
Fingertight Fitting, PEEK™, 1/16" (10 pcs)	2/10	6000.0012
Union for Viper and nanoViper capillaries	2	6040.2304
Capillary markers	5	–
Labels for capillary marker	8	–
UHPLC ⁺ Solution CD for Automated Application Switching	1	–
Quick installation guide UHPLC ⁺ Solution for Automated Application Switching	1	–
Flow scheme UHPLC ⁺ Solution for Automated Application Switching	1	–
Viper Application Switching Solution Kit for UltiMate 3000 SD LC Systems		6040.2806
Includes: Viper capillary, SST, 0.18 × 250 mm	2	6040.2385
Viper capillary, SST, 0.18 × 350 mm	4	6040.2375
Viper capillary, SST, 0.18 × 650 mm	2	6040.2395
Viper capillary, SST, 0.18 × 750 mm	2	6040.2370
Viper capillary, SST, 0.18 × 850 mm	1	6040.2380
Tubing, PEEK™, 1/16", 0.25 mm ID, 2 m	2	6251.6001
Fingertight Fitting, PEEK™, 1/16" (10 pcs)	2/10	6000.0012
Union for Viper and nanoViper capillaries	2	6040.2304
Capillary markers	5	–
Labels for capillary marker	8	–
UHPLC ⁺ Solution CD for Automated Application Switching	1	–
Quick installation guide UHPLC ⁺ Solution for Automated Application Switching	1	–
Flow scheme UHPLC ⁺ Solution for Automated Application Switching	1	–

4. Viper Capillary Kits for UltiMate 3000 LC Solutions *(continued)*

Description	Quantity	Part number
Viper Online SPE Solution Kit for UltiMate 3000 RS LC Systems		6040.2801
Includes: Viper capillary, SST, 0.13 × 250 mm	2	6040.2325
Viper capillary, SST, 0.13 × 350 mm	3	6040.2335
Viper capillary, SST, 0.18 × 450 mm	1	6040.2365
Viper capillary, SST, 0.18 × 950 mm	1	6040.2390
Tubing, PEEK™, 1/16", 0.25 mm ID, 2 m	1	6251.6001
Fingertight Fitting, PEEK™, 1/16" (10 pcs)	1/10	6000.0012
Union for Viper and nanoViper capillaries	2	6040.2304
Capillary markers	5	–
Labels for capillary marker	8	–
UHPLC+ Solution CD for Automated Online SPE	1	–
Quick installation guide UHPLC+ Solution for Automated Online SPE	1	–
Flow scheme UHPLC+ Solution for Automated Online SPE	1	–
Viper Online SPE Solution Kit for UltiMate 3000 SD LC Systems		6040.2802
Includes: Viper capillary, SST, 0.18 × 250 mm	2	6040.2385
Viper capillary, SST, 0.18 × 350 mm	3	6040.2375
Viper capillary, SST, 0.18 × 450 mm	1	6040.2365
Viper capillary, SST, 0.18 × 950 mm	1	6040.2390
Tubing, PEEK™, 1/16", 0.25 mm ID, 2 m	1	6251.6001
Fingertight Fitting, PEEK™, 1/16" (10 pcs)	1/10	6000.0012
Union for Viper and nanoViper capillaries	2	6040.2304
Capillary markers	5	–
Labels for capillary marker	8	–
UHPLC+ Solution CD for Automated Online SPE	1	–
Quick installation guide UHPLC+ Solution for Automated Online SPE	1	–
Flow scheme UHPLC+ Solution for Automated Online SPE	1	–
Viper Automated Method Scouting Solution Kit for UltiMate 3000 RS LC Systems		6040.2807
Includes: Viper capillary, SST, 0.13 × 150 mm	1	6040.2315
Viper capillary, SST, 0.13 × 250 mm	6	6040.2325
Viper capillary, SST, 0.13 × 350 mm	7	6040.2335
Viper capillary, SST, 0.13 × 450 mm	1	6040.2345
Viper capillary, SST, 0.18 × 450 mm	1	6040.2365
Union for Viper and nanoViper capillaries	7	6040.2304
Column holder kit for TCC 3000, (6 pcs)	1	6722.0290
Capillary markers	20	–
Labels for capillary marker	20	–
Capillary clip for color-coding, green	30	–
Capillary clip for color-coding, blue	30	–
Capillary clip for color-coding, red	30	–
Capillary clip for color-coding, yellow	30	–
Capillary clip for color-coding, white	30	–
Capillary clip for color-coding, black	30	–
Installation and operation guide Viper and nanoViper fingertight fitting system	1	–
UHPLC+ Solution CD for Automated Method Scouting	1	–
Quick installation guide UHPLC+ Solution for Automated Method Scouting	1	–
Flow scheme UHPLC+ Solution for Automated Method Scouting	1	–

4. Viper Capillary Kits for UltiMate 3000 LC Solutions *(continued)*

Description	Quantity	Part number
Viper Automated Method Scouting Solution Kit for UltiMate 3000 SD LC Systems		6040.2808
Includes: Viper capillary, SST, 0.18 × 250 mm	6	6040.2385
Viper capillary, SST, 0.18 × 350 mm	7	6040.2375
Viper capillary, SST, 0.18 × 450 mm	2	6040.2365
Union for Viper and nanoViper capillaries	6	6040.2304
Column holder kit for TCC 3000, (6 pcs)	1	6722.0290
Capillary markers	20	–
Labels for capillary marker	20	–
Capillary clip for color-coding, green	30	–
Capillary clip for color-coding, blue	30	–
Capillary clip for color-coding, red	30	–
Capillary clip for color-coding, yellow	30	–
Capillary clip for color-coding, white	30	–
Capillary clip for color-coding, black	30	–
UHPLC ⁺ Solution CD for Automated Method Scouting	1	–
Quick installation guide UHPLC ⁺ Solution for Automated Method Scouting	1	–
Flow scheme UHPLC ⁺ Solution for Automated Method Scouting	1	–
Viper Automated Method Scouting Solution Kit for UltiMate 3000 RS LC Systems, biocompatible		6042.2807
Includes: Viper capillary, MP35N, 0.10 × 250 mm	6	6042.2330
Viper capillary, MP35N, 0.10 × 350 mm	7	6042.2340
Viper capillary, MP35N, 0.10 × 450 mm	1	6042.2350
Viper capillary, MP35N, 0.18 × 450 mm	1	6042.2365
PEEK [™] union, pressure rating 5,000 psi/344 bar	6	2200.0061
Column holder kit for TCC 3000, (6 pcs)	1	6722.0290
Solvent filter holder (6 pcs)	4/6	6268.0115
Frit for solvent filter, Ti, 10 µm (10 pcs)	4/10	6268.0111
Capillary markers	20	–
Labels for capillary marker	20	–
Capillary clip for color-coding, green	30	–
Capillary clip for color-coding, blue	30	–
Capillary clip for color-coding, red	30	–
Capillary clip for color-coding, yellow	30	–
Capillary clip for color-coding, white	30	–
Capillary clip for color-coding, black	30	–
UHPLC ⁺ Solution CD for Automated Method Scouting	1	–
Quick installation guide UHPLC ⁺ Solution for Automated Method Scouting	1	–
Flow scheme UHPLC ⁺ Solution for Automated Method Scouting	1	–

4. Viper Capillary Kits for UltiMate 3000 LC Solutions *(continued)*

Description	Quantity	Part number
Viper Automated Method Scouting Solution Kit for UltiMate 3000 SD LC Systems, biocompatible		6042.2808
Includes: Viper capillary, MP35N, 0.18 × 250 mm	6	6042.2327
Viper capillary, MP35N, 0.18 × 350 mm	7	6042.2337
Viper capillary, MP35N, 0.18 × 450 mm	2	6042.2365
PEEK™ union, pressure rating 5,000 psi/344 bar	6	2200.0061
Column holder kit for TCC 3000, (6 pcs)	1	6722.0290
Solvent filter holder (6 pcs)	4/6	6268.0115
Frit for solvent filter, Ti, 10 µm (10 pcs)	4/10	6268.0111
Capillary markers	20	–
Labels for capillary marker	20	–
Capillary clip for color-coding, green	30	–
Capillary clip for color-coding, blue	30	–
Capillary clip for color-coding, red	30	–
Capillary clip for color-coding, yellow	30	–
Capillary clip for color-coding, white	30	–
Capillary clip for color-coding, black	30	–
UHPLC ⁺ Solution CD for Automated Method Scouting	1	–
Quick installation guide UHPLC ⁺ Solution for Automated Method Scouting	1	–
Flow scheme UHPLC ⁺ Solution for Automated Method Scouting	1	–
Extension Kit for Automated Method Scouting Solution for UltiMate 3000 LC Systems		6040.0100
Includes: Solvent selection valve, 10-p /11-p	1	6804.0020
Mounting plate for solvent selection valve	1	6804.0021
Solvent rack w/o degasser, SR-3000	1	5035.9200
Viper capillary, SST, 0.13 × 150 mm	1	6040.2315
Viper capillary, SST, 0.13 × 650 mm	1	6040.2310
Viper capillary, SST, 0.18 × 150 mm	1	6040.2360
Viper capillary, SST, 0.18 × 650 mm	1	6040.2395
Eluent bottle, 1 L, with screw cap	6	2270.0012
Eluent filter for eluent bottles (10 pcs)	1	6000.0041
Retaining guide for solvent tubing (5 pcs)	2	6000.0042
Sealing plug for eluent bottle screw cap (20 pcs)	2	6000.0047
Union for Viper and nanoViper capillaries	2	6040.2304
Tubing, FEP, 1.5 × 1000 mm	10	–
Tubing, ECTFE, 0.75 × 900mm	1	–
Flow scheme UHPLC ⁺ Solution for Automated Method Scouting	1	–

4. Viper Capillary Kits for UltiMate 3000 LC Solutions *(continued)*

Description	Quantity	Part number
Extension Kit for Automated Method Scouting Solution for UltiMate 3000 LC Systems, biocompatible		6042.0100
Includes: Solvent selection valve, 10-p /11-p	1	6804.0020
Mounting plate for solvent selection valve	1	6804.0021
Solvent rack w/o degasser, SR-3000	1	5035.9200
Viper capillary, MP35N, 0.10 × 650 mm	1	6042.2370
Viper capillary, MP35N, 0.18 × 650 mm	1	6042.2380
PEEK™ union, pressure rating 5,000 psi/344 bar	6	2200.0061
Tubing, FEP, 1.5 × 1000 mm	10	–
Tubing, ECTFE, 0.75 × 900 mm	1	–
Eluent bottle, 1 L, with screw cap	6	2270.0012
Eluent filter for eluent bottles (10 pcs)	1	6000.0041
Retaining guide for solvent tubing (5 pcs)	2	6000.0042
Sealing plug for eluent bottle screw cap (20 pcs)	2	6000.0047
Flow scheme UHPLC ⁺ Solution for Automated Method Scouting	1	–
Viper Inverse Gradient Kit for UltiMate 3000 SD LC Systems		6040.2819
Includes: Viper capillary, SST, 0.18 × 65 mm	1	6040.2357
Viper capillary, SST, 0.18 × 350 mm	1	6040.2375
Viper capillary, SST, 0.18 × 450 mm	4	6040.2365
Viper capillary, SST, 0.18 × 750 mm	1	6040.2370
nanoViper capillary, PEEK-shielded fused silica, 0.75 × 1100 mm	1	6041.5711
T-piece ID 0.020" (0.5 mm) for 1/16" capillary	1	6263.0035
Installation and operation guide Viper and nanoViper fingertight fitting system	1	–
UHPLC ⁺ Solution CD for Inverse Gradient	1	–
Quick installation guide UHPLC ⁺ Solution for Inverse Gradient	1	–
Flow scheme UHPLC ⁺ Solution for Inverse Gradient	1	–
Viper Inverse Gradient Kit for UltiMate 3000 RS LC Systems		6040.2820
Includes: Viper capillary, SST, 0.13 × 65 mm	1	6040.2307
Viper capillary, SST, 0.13 × 350 mm	1	6040.2335
Viper capillary, SST, 0.13 × 450 mm	3	6040.2345
Viper capillary, SST, 0.18 × 450 mm	1	6040.2365
Viper capillary, SST, 0.18 × 750 mm	1	6040.2370
nanoViper capillary, PEEK-shielded fused silica, 0.75 × 1100 mm	1	6041.5711
T-piece ID 0.020" (0.5 mm) for 1/16" capillary	1	6263.0035
Installation and operation guide Viper and nanoViper fingertight fitting system	1	–
UHPLC ⁺ Solution CD for Inverse Gradient	1	–
Quick installation guide UHPLC ⁺ Solution for Inverse Gradient	1	–
Flow scheme UHPLC ⁺ Solution for Inverse Gradient	1	–

HPLC support center

Keep your HPLC instrument at peak performance

Our resource for your HPLC instrument support needs. Navigate through the categories to find relevant technical information, tips and tricks for working with HPLC equipment, or answers to frequently asked questions.

[Learn more](#)



HPLC manuals and quick installation guides

Find all the information you need to successfully set up, operate, maintain, and get to know your Thermo Scientific UHPLC and HPLC systems and associated equipment.

[Learn more](#)



 Learn more at thermofisher.com/HPLC